

1
2 **RESPONSE TO FINAL OFFICE ACTION DATED**

3 **1/27/2005**

4 **REMARKS**

5 Herein, the "Action" or "Office Action" refers to the Office Action
6 identified in the above-identified title.

7 Applicant respectfully requests reconsideration and allowance of all
8 of the claims of the application. Claims 1-15, 18-26, and 28-35 are
9 presently pending. Claims amended herein are 1, 8, 18, 23, 24, 28, and 29.
10 Claims withdrawn or cancelled herein are 27. New claims added herein are
11 none.

12
13 **Amendment to Specification**

14 Applicant rescinds its request for specification amendment found in
15 the immediately previous response ("Response to Office Action dated
16 7/1/2004"). Accordingly, Applicant amends the specification herein in a
17 manner to restore the specification to its original condition before the
18 previous specification amendment request.

19 **Request to Withdraw Finality**

20 Applicant respectfully requests that the Office withdraw the finality
21 of this Office Action. Applicant asserts that the Office has not fully
22 examined each and every claim. Rather, it appears that the Office has
23 lumped together several claims under the same rejection without examining
24 each independent of the other.
25

1 For example, in the previous Office Action, the Office rejected
2 independent claims 8, 13, 23, and 24 for the same reasoning as it rejected
3 claim 1. For example, in its rejection of claim 13, the Office indicates on p.
4 4 of the previous Action, "As to independent claim 13, the claim
5 incorporates substantially similar subject matter as claim 1 as is rejected
6 along the same rationale."

7 In its previous Response (p. 22), Applicant stated the following with
8 regard to such blanket anticipation rejections of at least nominally different
9 claims:

10 While the Office's assertion (that this claim incorporates
11 substantially similar subject matter as claim 1) may or may not be
12 true, Applicant asserts that this independent claim is patentable
13 different than claim 1; and therefore, it deserves to be examined
14 on its own.

15 In other words, Applicant is saying that the Office has the burden to
16 show that the cited reference discloses each and every element and feature
17 recited in each rejected claim and show that each element/feature operated
18 together in the manner recited by each rejected claim. Applicant is saying
19 that that the Office has not done that.

1 In this Action (p. 4), the Office's rejoinder to the Applicant is as
2 follows:

3 In response to applicants' arguments beginning on page 21, with respect to
4 independent claims 8 and 13, While the Office's assertion (that this claim incorporates
5 substantially similar subject matter as claim 1) may or may not be true, Applicant
6 asserts that this independent claim is patentable different that claim 1; and therefore, it
7 deserves to be examined on its own". The Office does not agree these claims are
8 substantially similar, if the applicant argument is that they are patentable different
9 please indicate how the claims are different.

10 It appears that the Office is saying that the Applicant has the burden
11 to show that the collectively rejected claims are patentably different from
12 each other. Applicant disagrees. Applicant asserts that the burden remains
13 with the Office. Applicant respectfully submits that the Office's refusal to
14 fulfill its burden is sufficient reason for the removal of finality and if
15 finality is not removed, then burden-unfulfillment is sufficient to prevail
16 upon appeal.

17 However, Applicant will discuss why these collectively rejected
18 claims are patentably different. Doing so will help convince the Office to
19 withdraw the finality of this Action and if not, then will bolster the
20 Applicant's case on appeal.

21 Below, Applicant reproduces the text of some of the collectively
22 rejected claims in their form before any amendments herein. The
23 differences between the claim itself and claim are highlighted and have
24 comment balloons.
25

1 Please note that the highlighted differences are merely examples of
2 differences. They are not intended to exhaust all possible differences
3 between these claims.

4 Before amendments herein, claim 1 recited:

5 A method for accommodating a legacy application, the
6 method comprising:

7 obtaining a request for a high-level credential from a legacy
8 application;
9 marshalling the requested credential;
10 returning the marshaled credential to the application.

11 Applicant asserts that claim 8 recites at least three elements/features
12 that are not recited in claim 1. Before amendments herein, claim 8 recited:

13
14 In a computing environment where processes have a provision
15 for low-level credentials but have no provision for high-level
16 credentials, a method for accommodating such processes
17 comprising :

18 obtaining a request for a credential from a process, wherein
19 the requested credential is a high-level credential;

20 retrieving the requested credential from a database;

21 converting the requested high-level credential into a format
22 approximating a low-level credential and representative of the
23 requested high-level credential;

24 returning the converted credential to the process.
25

Comment [kcc1]: Claim 1 does not recite this.

Comment [kcc2]: Claim 1 does not recite a "retrieving" action.

Comment [kcc3]: On p. 4 of this Action, the Office states that the term "marshalling" (as used in claim 1) has the same meaning as "passing or transferring." If so, then the "converting" is not the same as "passing or transferring."

Applicant asserts that claim 13 recites at least three elements/features that are not recited in claim 1. Before amendments herein, claim 13 recited:

A method for authenticating a user to a network, the method comprising:

obtaining a request for a credential to authenticate the user to access a resource within the network, wherein the resource requires an appropriate credential before the user may access the resource;

Comment [kcc4]: Claim 1 does not specifically call out this feature/element.

locating the appropriate credential;

Comment [kcc5]: No recitation in claim 1 of a "locating" action.

returning the appropriate credential to the resource within the network, so that the resource allows the user to access such resource;

Comment [kcc6]: Again, not recited in claim 1.

wherein the obtaining, locating, and returning are performed without user interaction so that the user need not be aware that such steps are being performed.

Comment [kcc7]: Claim 1 never mentions "user interaction"

In addition to the above-identified examples of features/elements recited in claims 8 and 13 that are not recited in claim 1, Applicant also asserts that the Office has indirectly indicated that these claims have patentable differences.

If these collectively rejected claims (having the same statutory class) truly possess no patentable difference amongst them, then they would be identical. The Office cannot grant the Applicant multiple identical claims in the same statutory class.

It appears that the Office is examining (albeit in a cursory manner) claims 1, 8, and 13, all of which are the same statutory class. However, the

1 Office has not indicated that these same-statutorily-classified claims are
2 identical to each other. Instead, the Office's examination of these claims
3 implies that the Office views these claims as being patentably different
4 from each other.

5 Further proof that the Office considers these claims to be different is
6 that fact that the Office indicated in its Actions that these collectively
7 rejected claims were "substantially similar" rather than identical or nearly
8 identical. So, at its own admission, the Office does not view these claims
9 as identical.

10 Accordingly, in showing actual differences between the claims and
11 in showing the Office's indirect indication of claim differences, Applicant
12 has met the burden set by the Office (which burden the Applicant maintains
13 that it does not have) to show patentable difference between these
14 collectively rejected claims.

15 Applicant respectfully requests that the Office remove finality and
16 give Applicant a fully opportunity to respond to the rejections of each
17 claim.
18
19
20
21
22
23
24
25

Substantive Claim Rejections

Claim Rejections under §§ 102 & 103

The Office rejects all of the pending claims under §102 and/or §103. For the reasons set forth below, the Office has not shown that cited references anticipate (under §102) the rejected claims. For the reasons set forth below, the Office has not shown made a *prima facie* case showing that the rejected claims are obvious (under §103). Accordingly, Applicant respectfully requests that the rejections be withdrawn and the case be passed along to issuance.

The Office's rejections are based upon the following references:

- **Olden:** *Olden.*, US Patent No. 6,460,141 (issued 10/1/2002);
and/or
- **McNabb:** *McNabb et al.*, US Patent No. 6,289,462 (issued 9/11/2001).

Overview of the Application

The Application describes a domain-authentication aware technology for managing credentials. In other words, an authentication by one resource in a trust network enables automatic (without manual user input) authenticated access to all resources in that trust network.

With an implementation of this technology, concurrent authentications with multiple independent networks (e.g., domains) may be established and maintained.

1 With an implementation of this technology, a credential manager
2 provides a credential model retrofit for legacy applications that only
3 understand the password model. The manager marshals high-level
4 credentials (such as a certificate) so that the high-level credential appears to
5 be a low-level credential (such as a user/password) to legacy applications.

6 With an implementation of this technology, a credential manager
7 provides a mechanism where the application is only a "blind courier" of
8 credentials between the trusted part of the OS to the network and/or
9 network resource. The manager fully insulates the application from "read"
10 access to the credentials.

11 12 Cited References

13 The Office cites **Olden** as its primary references in its anticipation-
14 and obviousness-based rejections. The Office cites **McNabb** as its
15 secondary reference in its obviousness-based rejection.

16 17 Olden

18 **Olden** describes a security and access management technology for
19 Web-enabled and non-Web-enabled applications and content on a computer
20 network. **Olden** describes a management model which brings together
21 disparate infrastructure components, consolidates multiple security policies,
22 and embraces both Web and emerging Internet technologies to properly
23 address the security requirements of the Web.
24
25

1 **Olden** describes a uniform access management model to address the
2 specific problems facing the deployment of security for the Web and non-
3 Web environment. Unified access management consists of strategic
4 approaches to unify all key aspects of Web and non-Web security policies,
5 including access control, authorization, authentication, auditing, data
6 privacy, administration, and business rules. Unified access management
7 also addresses technical scalability requirements needed to successfully
8 deploy a reliable unified Web and non-Web security system.

9 **Olden** describes the technology required to support these key factors
10 as they relate to Web and non-Web security. The described system operates
11 in combination with network and system security tools such as firewalls,
12 network intrusion detection tools, and systems management tools to provide
13 comprehensive security for the Web-enabled enterprise.

14
15 *McNabb*

16 **McNabb** describes a technology for providing a trusted server which
17 controls access to the execution of processes by applying file level
18 extended sensitivity label attributes. The attributes are utilized to restrict
19 execution of processes that are requested by comparing the extended
20 attributes in addition to using standard file permission authorization.
21
22
23
24
25

Anticipation Rejections

Based upon Olden

The Office rejects claims 1-2, 4-8, 10-24, and 26-35 under USC § 102(e) as being anticipated by **Olden**. Applicant respectfully traverses the rejections of these claims. Based on the reasons given below, Applicant asks the Office to withdraw its rejection of these claims.

Claim 1

As amended, this claim recites:

A method for accommodating a legacy application, the legacy application having provisions for a low-level credential authorization model which employs username-and-password based authorization, the method comprising:

obtaining a request for a high-level credential from a legacy application, wherein a high-level credential authorization model does not employ username-and-password based authorization;

marshalling the requested high-level credential, the marshalling is characterized by converting a description of the high-level credential into a format recognizable as a low-level credential by the legacy application employing a low-level credential authorization model;

returning the marshaled credential to the legacy application.

The underscored text indicates the primary amendments to this claim which are done to clarify the meaning of “high-level credential” and “marshalling” and introduce “low-level credential.”

1 In its rejection, Office indicates the following:

2
3 As to independent claim 1, "A method for accommodating a legacy
4 application, the method comprising: obtaining a request for a high-level
5 credential from a legacy application; marshalling the requested credential;
6 returning the marshaled credential to the application" is taught in '141 col. 25,
7 lines 29-39.

8 Applicant submits that the Office has not identified, with
9 particularity, where each feature and element of this claim is found in the
10 cited passage of the reference. Specifically, the Office has not shown
11 where **Olden** discloses "high-level credentials" and "marshalling" as
12 recited in this claim.

13
14 High-Level Credential

15 The cited portion (col. 25, lines 29-39) of **Olden** reads:

16
17 For example, consider that user Steve may have one
18 username/password for Web applications and a different username and
19 password for a legacy application. Single sign on from the Web to the
20 legacy application can be accommodated by storing the user's legacy
21 credentials as user properties for Steve such as legacy_username and
22 legacy_password in the entitlements database 32. The legacy Web
23 application would then query the API and request the legacy_username
24 and legacy_password for ct_username=steve. The results can then be
25 transferred to the legacy application to be used in the logon procedure.
Since this is performed programmatically, the user is not aware of the
second logon process. To the user, it seems as if he or she only logged
onto the Web site once.

1 A non-password authorization model (e.g., a X.509 Certificates)
2 utilizes *high-level credentials*. However, most legacy applications have
3 provisions for only the traditional username/password authorization model
4 which is an example of a *low-level credential*.

5 This distinction between high- and low-level credentials is discussed
6 through-out the Application. For example, this distinction is noted in the
7 following section quoted the 3rd paragraph of the "Summary" on p. 5 of the
8 Application:

9
10 With an implementation of this technology, a
11 credential manager provides a credential model retrofit for
12 legacy applications that only understand the password
13 model. The manager marshals high-level credentials (such
14 as a certificate) so that the high-level credential appears to
15 be a low-level credential (such as a user/password) to
16 legacy applications.

17 This claim recites (with emphasis added): "obtaining a request for a
18 *high-level credential* from a legacy application."

19 Applicant submits the **Olden** does not do this. Instead, with **Olden**,
20 authorization to access a first set of functionality based upon a traditional
21 low-level credential (username/password pair) allows for automatic
22 authorized access to a second set of functionality. This automatic
23 secondary access is predicated upon the first authorization and is
24 accomplished by retrieval of a databased low-level credential for this
25 authorized access to a second set of functionality.

1 While Olden handles multiple credentials and allows for automatic
2 access to additional functionality based upon authorization via only one set
3 of credentials, Olden ONLY handles low-level credentials. It only handles
4 the traditional username/password pair model. Applicant submits that
5 Olden never discloses utilizing *high-level credentials*. Applicant submits
6 that Olden never discloses utilizing certificates.

7 In its "Response to Arguments" on p. 3 of the Action, the Office
8 responded to Applicant's argument with the following:

9 In response to applicant's argument beginning on page 17, line 22 "the Applicant
10 submits that the Office has not identified with particularity, where each feature and
11 element of this claim is found in the cited passage of the reference ... each feature and
12 element of this claim," such as "High-Level Credential". The Office disagrees with
13 argument although the term "High-Level Credential" is used this can have the same
14 meaning as "password" or user name. Likewise, as the reference indicates smart rules
15 can be used to set further limits on the distribution of credentials.

16 Also in response to applicant's argument that the references fail to show certain
17 features of applicant's invention, it is noted that the features upon which applicant relies
18 (i.e., X.509) are not recited in the rejected claim(s), until claim 3, which is not
19 incorporated in the independent claim or the other dependent claims. Although the
20 claims are interpreted in light of the specification, limitations from the specification are
21 not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed.
22 Cir. 1993). Likewise claim 3, X.509 certificates was rejected under 35 U.S.C. 103 with
23 the combination of references cited in the Office Action.
24
25

1 In response, Applicant amends to clarify terms recited in this claim.
2 As amended, this claim includes text clarifying the meaning of “high-level”
3 and “low-level” credentials. In particular, the additions clarify that “high-
4 level” credentials does not include the traditional username/password pair
5 authorization model, which is what **Olden** discloses. Thus is amendment
6 clarifies the difference between this claim and what **Olden** discloses.

7 Therefore, Applicant submits that **Olden** does not disclose “a
8 request for a high-level credential,” as recited in this claim.

9 Marshalling

10 Furthermore, Olden does not disclose “marshaling” as recited in this
11 claim. Specifically, this claim recites (with emphasis added): “*marshalling*
12 the requested [high-level] credential; returning the *marshaled credential* to
13 the application.”

14 Pages 12-15 of the Application describe the concepts of
15 “marshalling” and “marshaled credentials” in some detail. In the first
16 paragraph on p. 12, this definition is provided: “Marshaling is the
17 mechanism by which a description of a non-password credential can be
18 passed to the TCB [Trusted Computing Base] using an interface designed
19 to support only password credentials.”

20 In its “Response to Arguments” on p. 4 of the Action, the Office
21 responded to Applicant’s argument with the following:
22
23
24
25

1 In response to applicant's argument beginning on page 20, the Office has not
2 identified with particularity, where each feature and element of this claim is found in the
3 cited reference" such as "Marshalling". The Office disagrees the term "marshaling" has
4 the same meaning as passing or transferring. The Office Action shown this in the cited
5 passage where the results are "transferred to the legacy application".

6
7 In response, Applicant amends to clarify terms recited in this claim.
8 As amended, this claim includes text clarifying the meaning of
9 "marshalling." In particular, the additions clarify that "marshalling" means
10 more than simply "passing" or "transferring," which the Office indicates
11 that **Olden** discloses. Thus is amendment clarifies the difference between
12 this claim and what **Olden** discloses.

13 Therefore, Applicant submits that **Olden** does not disclose the
14 concepts of "marshalling" and "marshaled credentials," as recited in this
15 claim.

16 As shown above, **Olden** does not disclose all of the claimed
17 elements and features of the claim. Accordingly, Applicant asks the Office
18 to withdraw its rejection of this claim.

19
20 Claims 2-7

21 These claims ultimately depend upon independent claim 1. As
22 discussed above, claim 1 is allowable.

23 In addition to its own merits, each of these dependent claims is
24 allowable for the same reasons that its base claim is allowable. Applicant
25

1 submits that the Office withdraw the rejection of each of these dependent
2 claims because its base claim is allowable.

3
4 Claim 8

5 The Office indicates that this claim incorporates substantially similar
6 subject matter as claim 1 and is rejected along the same rationale.

7 If this is true, the Applicant submits that this claim is allowable for
8 same reasons given above as to why claim 1 is allowable.

9 While the Office's assertion (that this claim incorporates
10 substantially similar subject matter as claim 1) may or may not be true,
11 Applicant asserts that this independent claim is patentable different than
12 claim 1; and therefore, it deserves to be examined on its own.

13 As shown above, **Olden** does not disclose all of the claimed
14 elements and features of the claim. Accordingly, Applicant asks the Office
15 to withdraw its rejection of this claim.

16
17 Claims 9-12

18 These claims ultimately depend upon independent claim 8. As
19 discussed above, claim 8 is allowable.

20 In addition to its own merits, each of these dependent claims is
21 allowable for the same reasons that its base claim is allowable. Applicant
22 submits that the Office withdraw the rejection of each of these dependent
23 claims because its base claim is allowable.
24
25

Claim 13

The Office indicates that this claim incorporates substantially similar subject matter as claim 1 and is rejected along the same rationale.

If this is true, the Applicant submits that this claim is allowable for same reasons given above as to why claim 1 is allowable.

While the Office's assertion (that this claim incorporates substantially similar subject matter as claim 1) may or may not be true, Applicant asserts that this independent claim is patentable different than claim 1; and therefore, it deserves to be examined on its own.

As shown above, **Olden** does not disclose all of the claimed elements and features of the claim. Accordingly, Applicant asks the Office to withdraw its rejection of this claim.

Claims 14-15

These claims ultimately depend upon independent claim 13. As discussed above, claim 13 is allowable.

In addition to its own merits, each of these dependent claims is allowable for the same reasons that its base claim is allowable. Applicant submits that the Office withdraw the rejection of each of these dependent claims because its base claim is allowable.

Claim 18

As amended, this claim recites (in part):

the TCB comprises:

a credential management module configured to receive requests from the UTCL for a high-level credential for a resource, the high-level credential being associated with a user and not being username-and-password based authorization;

The underscored text indicates the primary amendments to this claim which are done to clarify the meaning of "high-level credential."

In its rejection, Office indicates the following:

As to independent claim 18, "A credential management architecture, comprising: a trusted computing base (TCB) that has 111 access to persisted credentials, the TCB being configured to interact with an entrusted computing layer (UTCL) that accesses the persisted credentials via the TCB; the TCB comprises: a credential management module configured to receive requests from the UTCL for a high level credential for a resource" is taught in '141 col. 3, lines 39-61;

"the high level credential being associated with a user; a credential database associated with the user, wherein credentials are persisted within the database; the credential management module being configured to retrieve credentials from the database" is shown in '141 col. 4, lines 27-34.

1 Applicant submits that the Office has not identified, with
2 particularity, where each feature and element of this claim is found in the
3 cited passage of the reference. Specifically, the Office has not shown
4 where **Olden** discloses “high-level credentials” as recited in this claim.

5 The cited portions of **Olden** read:

6 The security and access management system of the present
7 invention, generally indicated by the numeral 10 in FIG. 1, is a
8 highly scalable, reliable, and configurable security architecture. As
9 shown in FIG. 1, the architecture for the security and access
10 management system 10 comprises five main components: at least
11 one authorization component 12; an entitlements (database) server
12 component 14; an API server 16; an administrative client
(graphical user interface) 18; and at least one enabled Web server
20 connected to the remainder of the computer network, for
example, over the Internet. The first three components are server-
side components. Each of the server-side components will now be
described in more detail.

13 The authorization component 12 performs authorization
14 processing on behalf of either an enabled Web server 20 or an API
15 client 22. The authorization component 12 comprises an
16 authorization server 24. Preferably, as shown in FIG. 1, the
17 authorization component 12 comprises a plurality of authorization
18 servers 24A, 24B, 24C and at least one authorization dispatcher 26.
19 In order to avoid a single point source of failure, a plurality of
20 authorization dispatchers 26A, 26B also preferably comprises the
21 authorization component 12. [col. 3, lines 39-61]

22 ...

23 The entitlements server component 14 performs database
24 processing on behalf of at least one entitlements manager
25 administrative client 18 and the API server 16. In addition, the
entitlements server component 14 also forwards requests from the
entitlements manager administrative client 18 and API server 16
to the authorization servers 24A, 24B, 24C comprising the
authorization component 12. [col. 4, lines 27-34]

1 A non-password authorization model (e.g., a X.509 Certificate)
2 utilizes *high-level credentials*. However, most legacy applications have
3 provisions for only the traditional username/password authorization model
4 which is an example of a *low-level credential*.

5 This distinction between high- and low-level credentials is discussed
6 through-out the Application. For example, this distinction is noted in the
7 following section quoted the 3rd paragraph of the "Summary" on p. 5 of the
8 Application:

9
10 With an implementation of this technology, a
11 credential manager provides a credential model retrofit for
12 legacy applications that only understand the password
13 model. The manager marshals high-level credentials (such
14 as a certificate) so that the high-level credential appears to
15 be a low-level credential (such as a user/password) to
16 legacy applications.

17 This claim recites (with emphasis added): "a credential management
18 module configured to receive requests from the UTCL for a *high-level*
19 *credential* for a resource."

20 Applicant submits the **Olden** does not do this. Instead, with **Olden**,
21 authorization to access a first set of functionality based upon a traditional
22 low-level credential (username/password pair) allows for automatic
23 authorized access to a second set of functionality. This automatic
24 secondary access is predicated upon the first authorization and is
25 accomplished by retrieval of a databased low-level credential for this
authorized access to a second set of functionality.

1 While Olden handles multiple credentials and allows for automatic
2 access to additional functionality based upon authorization via only one set
3 of credentials, Olden ONLY handles low-level credentials. It only handles
4 the traditional username/password pair model. Applicant submits that
5 Olden never discloses utilizing *high-level credentials*. Applicant submits
6 that Olden never discloses utilizing certificates.

7 Therefore, Applicant submits that **Olden** does not disclose “a
8 request for a high-level credential,” as recited in this claim.

9 In its “Response to Arguments” on pp. 4-5 of the Action, the Office
10 responded to Applicant’s argument with the following:

11 In response to applicant’s argument beginning on page 23, with respect to claim
12 18 “This distinction between high- and low-level credentials is discussed through-out the
13 Application ... Applicant submits the Olden does not do this. Instead, with Olden
14 authorization to access a first set of functionality based upon low-level credential
15 (username/password pair) ... Olden ONLY handles low-level credentials”. The Office
16 disagrees with argument as stated previously. A. The term high- or low-level
17 credentials can have the same meaning as a current password verse and old password,
18 or a user passing successful authentication. In addition as stated previously while the
19 claims are interpreted in light of the specification, limitations from the specification are
20 not placed into the claims. If the applicant wants to distinguish high-level credentials as
21 X.509 this should be included in the independent claim.

22 In response, Applicant amends to clarify terms recited in this claim.
23 As amended, this claim includes text clarifying the meaning of “high-level
24 credential.” In particular, the additions clarify that “high-level” credentials
25 does not include the traditional username/password pair authorization

1 model, which is what **Olden** discloses. Thus is amendment clarifies the
2 difference between this claim and what **Olden** discloses.

3 Therefore, Applicant submits that **Olden** does not disclose “a
4 credential management module configured to receive requests from the
5 UTCL for a *high-level credential* for a resource,” as recited in this claim.

6 As shown above, **Olden** does not disclose all of the claimed
7 elements and features of the claim. Accordingly, Applicant asks the Office
8 to withdraw its rejection of this claim.

9
10 Claims 19-22

11 These claims ultimately depend upon independent claim 18. As
12 discussed above, claim 18 is allowable.

13 In addition to its own merits, each of these dependent claims is
14 allowable for the same reasons that its base claim is allowable. Applicant
15 submits that the Office withdraw the rejection of each of these dependent
16 claims because its base claim is allowable.

17
18 Claim 23

19 The Office indicates that this claim incorporates substantially similar
20 subject matter as claim 1 and is rejected along the same rationale.

21 If this is true, the Applicant submits that this claim is allowable for
22 same reasons given above as to why claim 1 is allowable.

23 While the Office’s assertion (that this claim incorporates
24 substantially similar subject matter as claim 1) may or may not be true,
25

Applicant asserts that this independent claim is patentable different than claim 1; and therefore, it deserves to be examined on its own.

As shown above, **Olden** does not disclose all of the claimed elements and features of the claim. Accordingly, Applicant asks the Office to withdraw its rejection of this claim.

Claim 24

The Office indicates that this claim incorporates substantially similar subject matter as claim 8 and is rejected along the same rationale.

If this is true, the Applicant submits that this claim is allowable for same reasons given above as to why claim 1 is allowable.

While the Office's assertion (that this claim incorporates substantially similar subject matter as claim 8) may or may not be true, Applicant asserts that this independent claim is patentable different than claim 1; and therefore, it deserves to be examined on its own.

As shown above, **Olden** does not disclose all of the claimed elements and features of the claim. Accordingly, Applicant asks the Office to withdraw its rejection of this claim.

Claims 25, 26, and 28

These claims ultimately depend upon independent claim 24. As discussed above, claim 24 is allowable.

In addition to its own merits, each of these dependent claims is allowable for the same reasons that its base claim is allowable. Applicant

1 submits that the Office withdraw the rejection of each of these dependent
2 claims because its base claim is allowable.

3
4 Claim 29

5 As amended, this claim recites (in part):

6
7 a request obtainer configured to obtain a request for a high-
8 level credential to authenticate the user to access a resource
9 within the network, wherein the resource requires an appropriate
10 credential before the user may access the resource, wherein a
11 high-level credential do not utilize username-and-password based
12 for high-level credential authorization;

13 a credential retriever configured to retrieve the appropriate
14 high-level credential from a database of credentials;

15 a credential marshaller configured to generate a
16 representation of the high-level credential that is formatted as a
17 low-level credential so that it appears to be a conventional
18 username/password pair, wherein a low-level credential utilizes
19 username-and-password based authorization;

20 a credential returner configured to return the marshaled
21 credential to the resource within the network, so that the resource
22 allows the user to access such resource;

23 wherein the obtainer, retriever, marshaller, and returner are
24 further configured to operate without user interaction.

25 The underscored text indicates the primary amendments to this claim
which are done to clarify the meaning of "high-level credential" and "low-
level credential."

1 In its rejection, Office indicates the following:

2
3 As to independent claim 29, "A system for authenticating a user to a
4 network, the system comprising: a request obtainer configured to obtain a
5 request for a high level credential to authenticate the user to access a resource
6 within the network" is taught in '141 col. 3, lines 39-61;

7 "wherein the resource requires an appropriate credential before the user
8 may access the resource; a credential retriever configured to retrieve the
9 appropriate high-level credential from a database of credentials; a credential
10 marshaller configured to generate a representation of the high-level credential
11 that is formatted as a low-level credential so that it appears to be a conventional
12 username/password pair; a credential returner configured to return the marshaled
13 credential to the resource within the network, so that the resource allows the user
14 to access such resource" is shown in '141 col. 4, lines 27-34;

15 "wherein the obtainer, retriever, marshaller and returner are further
16 configured to operate without user interaction" is disclosed in '141 col. 25, lines 39-
17 41.

18 Applicant submits that the Office has not identified, with
19 particularity, where each feature and element of this claim is found in the
20 cited passage of the reference. Specifically, the Office has not shown
21 where **Olden** discloses "high-level credentials" as recited in this claim.

22 A non-password authorization model (e.g., a X.509 Certificates)
23 utilizes *high-level credentials*. However, most legacy applications have
24 provisions for only the traditional username/password authorization model
25 which is an example of a *low-level credential*.

This distinction between high- and low-level credentials is discussed
through-out the Application. For example, this distinction is noted in the

1 following section quoted the 3rd paragraph of the "Summary" on p. 5 of the
2 Application:

3
4 With an implementation of this technology, a
5 credential manager provides a credential model retrofit for
6 legacy applications that only understand the password
7 model. The manager marshals high-level credentials (such
8 as a certificate) so that the high-level credential appears to
9 be a low-level credential (such as a user/password) to
10 legacy applications.

11 This claim recites (with emphasis added): "a request obtainer
12 configured to *obtain a request for a high-level credential to authenticate*
13 *the user to access a resource within the network*, wherein the resource
14 requires an appropriate credential before the user may access the resource,
15 *wherein a high-level credential do not utilize username-and-password*
16 *based for high-level credential authorization.*"

17 Applicant submits the **Olden** does not do this. Instead, with **Olden**,
18 authorization to access a first set of functionality based upon a traditional
19 low-level credential (username/password pair) allows for automatic
20 authorized access to a second set of functionality. This automatic
21 secondary access is predicated upon the first authorization and is
22 accomplished by retrieval of a databased low-level credential for this
23 authorized access to a second set of functionality.

24 While Olden handles multiple credentials and allows for automatic
25 access to additional functionality based upon authorization via only one set
of credentials, Olden ONLY handles low-level credentials. It only handles

1 the traditional username/password pair model. Applicant submits that
2 Olden never discloses utilizing *high-level credentials*. Applicant submits
3 that Olden never discloses utilizing certificates.

4 In its "Response to Arguments" on pp. 5-6 of the Action, the Office
5 responded to Applicant's argument with the following:

6 In response to applicant's argument beginning on page 29, with respect to claim
7 29, the applicant proposes the same arguments that were previously presented
8 concerning "High-Level Credential" and "Marshalling". The Office disagrees with these
9 arguments as previously indicated. The Office disagrees with argument although the
10 term "High-Level Credential" is used this can have the same meaning as "password" or
11 user name. Likewise, as the reference indicates smart rules can be used to set further
12 limits on the distribution of credentials. It is noted that the features upon which applicant
13 relies (i.e., X.509) are not recited in the rejected claim(s), until claim 3, which is not
14 incorporated in the independent claim or the other dependent claims. The Office
15 disagrees the term "marshaling" has the same meaning as passing or transferring.

16 In response, Applicant amends to clarify terms recited in this claim.
17 As amended, this claim includes text clarifying the meaning of "high-level"
18 and "low-level" credentials. In particular, the additions clarify that "high-
19 level" credentials does not include the traditional username/password pair
20 authorization model, which is what **Olden** discloses. Thus is amendment
21 clarifies the difference between this claim and what **Olden** discloses.

22 Therefore, Applicant submits that **Olden** does not disclose "a
23 request obtainer configured to *obtain a request for a high-level credential*
24 *to authenticate the user to access a resource within the network*, wherein
25 the resource requires an appropriate credential before the user may access

1 the resource, *wherein a high-level credential do not utilize username-and-*
2 *password based for high-level credential authorization,*” as recited in this
3 claim.

4 As shown above, **Olden** does not disclose all of the claimed
5 elements and features of the claim. Accordingly, Applicant asks the Office
6 to withdraw its rejection of this claim.

7
8 Claims 30-31

9 These claims ultimately depend upon independent claim 29. As
10 discussed above, claim 29 is allowable.

11 In addition to its own merits, each of these dependent claims is
12 allowable for the same reasons that its base claim is allowable. Applicant
13 submits that the Office withdraw the rejection of each of these dependent
14 claims because its base claim is allowable.

Claim 32

This unamended claim for an application programming interface (API) method recites:

- receiving a CredUI-promptfor-credentials call having a set of parameters comprising a TargetName, Context, AuthFlags, and Flags;
- parsing the call to retrieve the parameters to determine a specified resource;
- obtaining a credential;
- associating the credential with the specified resource;
- persisting the credential into a database while maintaining the credential's association with the specified resource.

The Office cites col. 3, lines 39-61 and col. 9, line 27 through col. 10, line 36 of **Olden** and, by doing so, indicates that the cited portion of the reference discloses all of the elements and features of this claim.

However, the Applicant submits that the Office has not identified, with particularity, where each feature and element of this claim is found in the cited passage of the reference. Furthermore, the Office has not provided any reasoning, explanation, or rationale as to its assertion that the cited portions of **Olden** disclose all of each feature and element of this claim,

In particular, the Office has not identified, nor can Applicant find, where **Olden** discloses "receiving a CredUI-promptfor-credentials call having a set of parameters comprising a TargetName, Context, AuthFlags,

1 and Flags.” No where does **Olden** disclose a call with these particular set
 2 of parameters.

3 In its “Response to Arguments” on pp. 6-7 of the Action, the Office
 4 responded to Applicant’s argument with the following:

5 In response to applicant’s arguments beginning on page 33, with respect to claim
 6 32, “In particular, the Office has not identified, nor can Applicant find, where Olden
 7 discloses “receiving a CredUI-promptfor-credentials call having a set of parameters
 8 comprising a TargetName, Context, AuthFlags and Flags”. The Office disagrees the
 9 reference shows many examples of these steps, for example see col. 9, lines 27-51
 10 “During a request” same meaning as “CredUI-promptfor-credentials”

11 “different application functions 84 to which the customer has access rights, and
 12 returns the correct interface which support the function set” has the same meaning as
 13 “set of parameters”

14 as well as see col. 17, line 65 through col. 18, line 59 “Smart rules are filters that
 15 govern user access to applications. When a smart rule is defined for an application in
 16 order to determine authorization, the security and access management system 10
 17 examines a property for a specific user, and grants or denies access to an application
 18 resource based on the value found” has the same meaning as “TargetName, Context,
 19 AuthFlags, and Flags”

20 In response, Applicant points to the specificity of the claim
 21 recitation. In particular, this claim indicates that the received call has a
 22 defined set of parameters that comprise the following specifically recited
 23 parameters: “TargetName, Context, AuthFlags, and Flags.”

24 It appears to the Applicant that the Office is combining two
 25 extrapolated and generalized conclusions about Olden and equating it to a

1 very specific and explicit recitation in the claim language. If the Office is
2 correct then these two statements are equivalent:

3
4 The following is a direct quote from this claim:

5 ...receiving a CredUI-promptfor-credentials call having a set
6 of parameters comprising a TargetName, Context, AuthFlags, and
7 Flags...

8
9 The following is the same quoted language but Applicant has
10 replaced the language that the Office equates to being disclosed in **Olden**
11 (minor edits are done to make the replaced language make better
12 grammatical sense):

13
14 ... receiving a request [a CredUI-promptfor-credentials call]
15 having a correct interface to support the function set to which the
16 customer has access rights, [a set of parameters] comprising
17 filters governed by smart rules (when a smart rule is defined for an
18 application in order to determine authorization, the security and
19 access management system examines the property of a specific
20 user and grants or denies access to an application resource based
21 on the value found) [a TargetName, Context, AuthFlags, and
22 Flags]...

23
24 Again, if **Olden** truly discloses the language recited in this claim,
25 then the above two statements would be identical in meaning. Not only
would they be identical they would be neither broader nor narrower than
each other in meaning.

Applicant hopes that the reader of this can see that these two statements are not identical. Even assuming the best case for the Office, **Olden**, at best, discloses a generalization of the recited language. But, of course, Applicant does not think that **Olden** even discloses that.

Applicant asks the Office to identify, with particularity, where **Olden** discloses each of these parameters which have been expressly recited in this claim. Where does **Olden** expressly disclose a "TargetName" parameter? Where does **Olden** expressly disclose a "Context" parameter? Where does **Olden** expressly disclose a "AuthFlags" parameter? Where does **Olden** expressly disclose a "Flags" parameter?

Furthermore, Applicant submits that **Olden** does not disclose the all of the steps of this method (parsing a call; obtaining a credential; associating; and persisting) generally or specifically. For example, **Olden** does not disclose "associating the [obtained] credential with the specified resource."

If **Olden** does disclose these things, Applicant asks that the Office identify where it discloses it with particularity.

In its "Response to Arguments" on p. 7 of the Action, the Office responded to Applicant's argument with the following:

In response to applicant's argument on page 34, with respect to claim 32, "Furthermore, Applicant submits that Olden does not disclose the all of the steps of this method (parsing a call; obtaining a credential; associating; and persisting) generally or specifically". The Office disagrees this is shown throughout the reference see col. 17, line 65 through 18, line 59 above. Note database processing performs the tasks Applicant is claiming, i.e. parsing, obtaining, associating, persisting ect.

1
2 In response, Applicant points out that the Office did not point out,
3 with particularly, where Olden expressly discloses the steps of this method
4 (parsing a call; obtaining a credential; associating; and persisting). Rather,
5 the Office notes that that Olden discloses “database processing” and that it
6 must necessarily perform the tasks as recited in this claim.

7 Applicant respectfully disagrees with this conclusion. Applicant
8 requests proof for the Office’s inherency position.

9 Furthermore, even if the Office is right, that does not mean that
10 “database processing” inherently includes the tasks recited in this claim in
11 the manner that they are recited. For example, Applicant asks how it is
12 possible inherent to Olden’s “database processing” that it would “persist[]
13 the credential into a database while maintaining the credential’s association
14 with the specified resource?”

15 As shown above, **Olden** does not disclose all of the claimed
16 elements and features of the claim. Accordingly, Applicant asks the Office
17 to withdraw its rejection of this claim.

18
19 Claim 33

20 This claim ultimately depends upon independent claim 32. As
21 discussed above, claim 32 is allowable.

22 In addition to its own merits, this dependent claim is allowable for
23 the same reasons that its base claim is allowable. Applicant submits that
24
25

1 the Office withdraw the rejection of this dependent claim because its base
2 claim is allowable.

3
4 Claim 34

5 This claim for an application programming interface (API) method
6 recites:

- 7
- 8 • receiving a CredUI-promptfor-credentials call having a set of
9 parameters comprising a TargetName, UserName, Password,
10 and Flags;
 - 11 • parsing the call to retrieve the parameters to determine a
12 requesting application;
 - 13 • obtaining a low-level credential from a user, wherein such
14 credential includes a username and a password;
 - 15 • returning the low-level credential to the requesting
16 application.

17 The Office cites col. 3, lines 39-61 and col. 9, line 27 through col.
18 10, line 36 of **Olden** and, by doing so, indicates that the cited portion of the
19 reference discloses all of the elements and features of this claim.

20 However, the Applicant submits that the Office has not identified,
21 with particularity, where each feature and element of this claim is found in
22 the cited passage of the reference. Furthermore, the Office has not
23 provided any reasoning, explanation, or rationale as to its assertion that the
24
25

1 cited portions of **Olden** disclose all of each feature and element of this
2 claim,

3 In particular, the Office has not identified, nor can Applicant find,
4 where **Olden** discloses "receiving a CredUI-promptfor-credentials call
5 having a set of parameters comprising a TargetName, UserName,
6 Password, and Flags." No where does **Olden** disclose a call with these
7 particular set of parameters.

8 In its "Response to Arguments" on pp. 7-8 of the Action, the Office
9 responded to Applicant's argument with the following:

10 In response to applicant's argument on page 35, with respect to claim 34 "In
11 particular, the Office has not identified, nor can Applicant find, where Olden discloses
12 "receiving a CredUI-promptfor-credentials call having a set of parameters comprising a
13 TargetName, Context, AuthFlags and Flags". The Office disagrees the reference shows
14 many examples of these steps, for example see col. 9, lines 27-51

15 "During a request" same meaning as "CredUI-promptfor-credentials"

16 "different application functions 84 to which the customer has access rights, and
17 returns the correct interface which support the function set" has the same meaning as
18 "set of parameters"

19 see col. 17, line 65 through col. 18, lines 59 "Smart rules are filters that govern
20 user access to applications. When a smart rule is defined for an application in order to
21 determine authorization, the security and access management system 10 examines a
22 property for a specific user, and grants or denies access to an application resource
23 based on the value found" has the same meaning as "TargetName, Context, AuthFlags,
24 and Flags"
25

1 In response, Applicant points to the specificity of the claim
2 recitation. In particular, this claim indicates that the received call has a
3 defined set of parameters that comprise the following specifically recited
4 parameters: "TargetName, UserName, Password, and Flags."

5 It appears to the Applicant that the Office is combining two
6 extrapolated and generalized conclusions about Olden and equating it to a
7 very specific and explicit recitation in the claim language. If the Office is
8 correct then these two statements are equivalent:

9
10 The following is a direct quote from this claim:

11 ...receiving a CredUI-promptfor-credentials call having a set
12 of parameters comprising a TargetName, UserName, Password,
13 and Flags...

14
15 The following is the same quoted language but Applicant has
16 replaced the language that the Office equates to being disclosed in **Olden**
17 (minor edits are done to make the replaced language make better
18 grammatical sense):

19 ... receiving a request [a CredUI-promptfor-credentials call]
20 having a correct interface to support the function set to which the
21 customer has access rights, [a set of parameters] comprising
22 filters governed by smart rules (when a smart rule is defined for an
23 application in order to determine authorization, the security and
24 access management system examines the property of a specific
25 user and grants or denies access to an application resource based

1 on the value found) [a TargetName, UserName, Password, and
2 Flags]...

3 Again, if **Olden** truly discloses the language recited in this claim,
4 then the above two statements would be identical in meaning. Not only
5 would they be identical they would be neither broader nor narrower than
6 each other in meaning.

7 Applicant hopes that the reader of this can see that these two
8 statements are not identical. Even assuming the best case for the Office,
9 **Olden**, at best, discloses a generalization of the recited language. But, of
10 course, Applicant does not think that **Olden** even discloses that.

11 Applicant asks the Office to identify, with particularity, where
12 **Olden** discloses each of these parameters which have been expressly
13 recited in this claim. Where does **Olden** expressly disclose a
14 “TargetName” parameter? Where does **Olden** expressly disclose a
15 “UserName” parameter? Where does **Olden** expressly disclose a
16 “Password” parameter? Where does **Olden** expressly disclose a “Flags”
17 parameter?

18 Furthermore, Applicant submits that **Olden** does not disclose the all
19 of the steps of this method (parsing a call; obtaining a credential;
20 associating; and persisting) generally or specifically. For example, **Olden**
21 does not disclose “associating the [obtained] credential with the specified
22 resource.”

23 If **Olden** does disclose these things, Applicant asks that the Office
24 identify where it discloses it with particularity.
25

1 As shown above, **Olden** does not disclose all of the claimed
2 elements and features of the claim. Accordingly, Applicant asks the Office
3 to withdraw its rejection of this claim.
4

5 Claim 35

6 This claim ultimately depends upon independent claim 34. As
7 discussed above, claim 34 is allowable.

8 In addition to its own merits, this dependent claim is allowable for
9 the same reasons that its base claim is allowable. Applicant submits that
10 the Office withdraw the rejection of this dependent claim because its base
11 claim is allowable.
12
13
14
15
16

421 West Riverside, Suite 500
Spokane, WA 99201
P: 509.324-9256
F: 509.323-8979
www.lee&hayes.com

lee & hayes

Obviousness Rejections

Lack of *Prima Facie* Case of Obviousness (MPEP § 2142)

Applicant disagrees with the Office's obviousness rejections. Arguments presented herein point to various aspects of the record to demonstrate that all of the criteria set forth for making a *prima facie* case have not been met.

Based upon Olden and McNabb

The Office rejects 3, 9, and 25 under USC § 103(a) as being unpatentable over **Olden** as modified by **McNabb**. Applicant respectfully traverses the rejections of these claims. Applicant asks the Office to withdraw its rejection of these claims.

These claims ultimately depend upon independent claims 1, 8, and/or 24. As discussed above, these claims are allowable.

In addition to its own merits, each of these dependent claims is allowable for the same reasons that its base claim is allowable. Applicant submits that the Office withdraw the rejection of each of these dependent claims because its base claim is allowable.

Dependent Claims

In addition to its own merits, each dependent claim is allowable for the same reasons that its base claim is allowable. Applicant submits that the Office withdraw the rejection of each dependent claim where its base claim is allowable.

1 **Conclusion**

2 All pending claims are in condition for allowance. Applicant
3 respectfully requests reconsideration and prompt issuance of the
4 application. If any issues remain that prevent issuance of this application,
5 the Office is urged to contact the undersigned attorney before issuing a
6 subsequent Action.

8 Respectfully Submitted,

9
10 Dated: 5-26-05

By: 

Kasey C. Christie
Reg. No. 40559
(509) 324-9256 x232
kasey@leehayes.com
www.leehayes.com

421 West Riverside, Suite 500
Spokane, WA 99201
P: 509.324-9256
F: 509.323-8979
www.leehayes.com

lee & hayes